

View Online at <https://aerobasegroup.com/nsn/4820-01-078-9915>

Flange Diameter:

12.375 inches

Bonnet Type:

Outside screw-yoke

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

10

Valve Operation Method:

Manual

Connection Type:

Flange, round w/holes

Valve Size:

8.000 inches

Maximum Operating Pressure And Media For Which Designed:

250.0 pounds per square inch water-oil-gas and 250.0 pounds per square inch water, salt

Stem Type:

Rising

Maximum Operating Temperature And Media For Which Designed:

150.0 degrees fahrenheit water-oil-gas and 150.0 degrees fahrenheit water, salt

Face To Face Distance:

9.500 inches

Flange Face Design:

Plain

Inlet Relationship With Outlet:

Identical

Material:

Nickel alloy 400 stem

Material Specification:

Qq-n-288 federal specification single material response seat

Furnished Items And Quantity:

1 handwheel

Specification Data:

81349-mil-v-1189 government specification

Specification Or Standard:

1 type and 2 class

Departure From Cited Document:

Modified to accept a valve actuator

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A500a0

Mil-std (military Standard):

Mil-v-1189 spec.