NSN 4820-01-078-9948

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-078-9948

view Offilitie at https://defobasegroup.com/nsn/+020-01-070-3340
Body Material:
Copper alloy, qq-c-390, d5
First End Flange Outside Diameter:
4.250 inches
Body Style:
Straight thru
Stem Material:
Nickel copper alloy, qq-n-286, class a or nickel copper alloy, qq-n-286, class b
Media For Which Designed:
Water, salt
First End Connection Type:
Plain face flange
First End Style Designator:
Plain
First End Flange Shape Style:
Round w/ bolt holes
First End Flange Thickness:
0.843 inches
First End Bolt Hole Quantity:
4
First End Bolt Hole Diameter:
0.562 inches
First End Bolt Circle Diameter:
3.125 inches
Second End Relationship With First End:
Identical
Seat Material:
Nickel aluminum bronze, astm b-150
Flow Control Device:
Diaphragm
Flow Control Device Material:
Rubber, synthetic
End Connection Quantity:
2
Outlet Pressure Range:
+10.0/+25.0 pounds per square inch
Regulation Type:
Automatic single stage
Valve Loading Method:
Spring
Maximum Inlet Pressure Rating:

700.0 pounds per square inch

NSN 4820-01-078-9948

Fluid Pressure Regulating Valve - Page 2 of 2



Outlet Pressure Accuracy Rating:
Not rated
Filter:
Not included
Tempurature Rating:
150.0 degrees fahrenheit
Specification Or Standard:
1 type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A21100