NSN 4820-01-079-9121

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-079-9121 **Body Material:** Bronze First End Flange Outside Diameter: 6.000 inches **Body Style:** Straight thru Media For Which Designed: Refrigerant, noncorrosive **First End Connection Type:** Plain face flange First End Style Designator: Plain First End Flange Shape Style: Round w/ bolt holes First End Flange Thickness: 0.500 inches First End Bolt Hole Quantity: First End Bolt Hole Diameter: 0.562 inches First End Bolt Circle Diameter: 4.438 inches Second End Relationship With First End: Identical **Seat Material:** Nickel copper alloy, qq-n-286, class a **Face To Face Distance:** 6.375 inches Flow Control Device: Disk Flow Control Device Material: Rubber, synthetic **End Connection Quantity:** 2 Renewable Seat Ring Type: Threaded **Regulation Type:** Automatic single stage Valve Loading Method:

Spring

Remote Actuation Method:

Bellows

NSN 4820-01-079-9121

Fiig: A21100

Fluid Pressure Regulating Valve - Page 2 of 2



Maximum Inlet Pressure Rating: 150.0 pounds per square inch Outlet Pressure Setting: 105.0 pounds per square inch Filter: Not included Tempurature Rating: 170.0 degrees fahrenheit Special Features: Remote actuation includes 30.000 in. Capillary w/0.250 in. Male flare fitting Shelf Life: N/a Unit Of Measure: --Demilitarization: No