## NSN 4820-01-085-2633

Butterfly Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-085-2633

Pipe Size Accommodated:
2.000 inches all ends
Bonnet Type:
Packing retaining
Renewable Seat Ring Type:
Pressed-in
Maximum Operating Temp:
180.0 degrees fahrenheit single response
Connection Style:
G60b plain (pipe) all ends
Valve Operation Method:
Manual
Connection Type:
Unthreaded external pipe all ends
Maximum Operating Pressure:
200.0 pounds per square inch single response
Material:
Steel comp 202 body or copper alloy 905 body or copper alloy body
Material Specification:
Qq-c-390, alloy d4 federal specification 1st material response body or mil-b-23921 military specification 3rd material response body
Media For Which Designed:
Water, fresh 1st responsewater, salt 2nd responsefuel/oil, hydrocarbon 3rd response
Style Designator:
Err-090
Specification Data:
81349-mil-v-22133 government specification
Specification Or Standard:
1 type and a class and 200 series and a construction and 2in. Size
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A046b0
Mil-std (military Standard):
Mil-b-23921 spec.