NSN 4820-01-100-3407

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-100-3407

Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Bolt Hole Quantity:
7 1st end
Valve Operation Method:
Manual
Flange Shape:
Round 2nd end
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Features Provided:
Bonnet packing
Valve Size:
3.000 inches
Maximum Operating Pressure:
50.0 pounds per square inch single response
Outside Diameter:
7.500 inches 1st end
Face To Face Distance:
7.094 inches
Thickness:
0.500 inches 2nd end
Bolt Hole Diameter:
0.531 inches 1st end
Bolt Circle Diameter:
6.375 inches 1st end
Flange Face Design:
Plain all ends
Material:
Nickel alloy stem
Material Specification:
Qq-c-390, alloy d4 federal specification single material response flow control device
Media For Which Designed:
Water, salt single response
Style Designator:
Straight through flanged ends

NSN 4820-01-100-3407

Stop-check Valve - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0