

View Online at <https://aerobasegroup.com/nsn/4820-01-107-2962>

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 2nd end

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Flared (tube) 1st end

Valve Operation Method:

Manual

Flange Shape:

Round with holes 2nd end

Connection Type:

Threaded external tube 1st end

Mounting Position:

Vertical

Maximum Operating Pressure:

60.0 pounds per square inch single response

Thread Size:

0.562 inches 1st end

Seat Angle:

37.0 degrees 1st end

Outside Diameter:

1.750 inches 2nd end

Thickness:

0.060 inches 2nd end

Bolt Hole Diameter:

0.140 inches 2nd end

Bolt Circle Diameter:

1.375 inches 2nd end

Flange Face Design:

Raised straight 2nd end

Raised Face Height:

0.080 inches 2nd end

Raised Face Diameter:

0.620 inches 2nd end

Material:

Stainless steel

Surface Treatment:

Anodize

Style Designator:

Angle

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0