NSN 4820-01-114-2366

Check Valve - Page 1 of 2

Flow Control Device:

Disk Loading Method:

Disk

Weight



View Online at https://aerobasegroup.com/nsn/4820-01-114-2366

Bolt Hole Quantity:					
4 all ends					
Maximum Operating Temp:					
500.0 degrees fahrenheit single response					
Valve Operation Method:					
Automatic					
Flange Shape:					
Round with holes all ends					
Connection Type:					
Flange all ends					
Mounting Position:					
Horizontal or vertical					
Valve Size:					
1.500 inches					
Maximum Operating Pressure:					
200.0 pounds per square inch single response					
Outside Diameter:					
5.000 inches all ends					
Face To Face Distance:					
7.250 inches					
Thickness:					
0.562 inches all ends					
Bolt Hole Diameter:					
0.625 inches all ends					
Bolt Circle Diameter:					
3.875 inches all ends					
Flange Face Design:					
Raised straight all ends					
Raised Face Height:					
0.062 inches all ends					
Raised Face Diameter:					
1.500 inches all ends					
Special Features:					
Swing check					
Material:					
Steel uns j92900 flow control device					
Material Specification:					

Astm a-296 grade cf8m assn standard single material response flow control device

NSN 4820-01-114-2366

Check Valve - Page 2 of 2



Media For Which Designed	Media	For	Which	Design	ed
--------------------------	-------	-----	-------	--------	----

Water-oil-gas single response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0