## NSN 4820-01-121-0844

Check Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-121-0844

Right-hand all ends  Maximum Operating Temp:  160.0 degrees fahrenheit single response  Connection Style:  Plain, optional end (pipe) all ends  Valve Operation Method:  Automatic  Connection Type:  Threaded internal pipe all ends  Mounting Position:  Horizontal or vertical  Maximum Operating Pressure:  160.0 pounds per square inch single response  Thread Size:  0.500 inches all ends  Material:  Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification:  Qq-b-626 federal specification single material response body  Media For Which Designed:  Water, fresh single response  Style Designator:  Straight thru  Supplementary Features:  Flow control device: diaphragm  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0  Mil-std (military Standard):	Thread Direction:
Maximum Operating Temp:  160.0 degrees fahrenheit single response  Connection Style:  Plain, optional end (pipe) all ends  Valve Operation Method: Automatic  Connection Type: Threaded internal pipe all ends  Mounting Position: Horizontal or vertical  Maximum Operating Pressure:  160.0 pounds per square inch single response  Thread Size: 0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Nyt all ends  Shelf Life: N/a  Unit Of Measure:   Demilitarization: No  Fiig: A530b0	
Connection Style: Plain, optional end (pipe) all ends Valve Operation Method: Automatic Connection Type: Threaded internal pipe all ends Mounting Position: Horizontal or vertical Maximum Operating Pressure: 160.0 pounds per square inch single response Thread Size: 0.500 inches all ends Material: Rubber butadiene-acrylonitrile class nbr flow control device Material Specification: Qq-b-626 federal specification single material response body Media For Which Designed: Water, fresh single response Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Nyt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	
Connection Style: Plain, optional end (pipe) all ends Valve Operation Method: Automatic Connection Type: Threaded internal pipe all ends Mounting Position: Horizontal or vertical Maximum Operating Pressure: 160.0 pounds per square inch single response Thread Size: 0.500 inches all ends Material: Rubber butadiene-acrylonitrile class nbr flow control device Material Specification: Qq-b-626 federal specification single material response body Media For Which Designed: Water, fresh single response Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	
Plain, optional end (pipe) all ends  Valve Operation Method: Automatic  Connection Type: Threaded internal pipe all ends  Mounting Position: Horizontal or vertical  Maximum Operating Pressure: 160.0 pounds per square inch single response  Thread Size: 0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure: Demilitarization: No  Fiig: A530b0	
Valve Operation Method: Automatic  Connection Type: Threaded internal pipe all ends  Mounting Position: Horizontal or vertical  Maximum Operating Pressure: 160.0 pounds per square inch single response  Thread Size: 0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends Shelf Life: N/a  Unit Of Measure: Demilitarization: No Fiig: A530b0	
Automatic  Connection Type: Threaded internal pipe all ends  Mounting Position: Horizontal or vertical  Maximum Operating Pressure: 160.0 pounds per square inch single response  Thread Size: 0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure: Demilitarization: No  Fiig: A530b0	
Connection Type: Threaded internal pipe all ends Mounting Position: Horizontal or vertical Maximum Operating Pressure: 160.0 pounds per square inch single response Thread Size: 0.500 inches all ends Material: Rubber butadiene-acrylonitrile class nbr flow control device Material Specification: Qq-b-626 federal specification single material response body Media For Which Designed: Water, fresh single response Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	•
Threaded internal pipe all ends  Mounting Position: Horizontal or vertical  Maximum Operating Pressure: 160.0 pounds per square inch single response Thread Size: 0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure: Demilitarization: No Fiig: A530b0	, idiomano
Mounting Position: Horizontal or vertical  Maximum Operating Pressure: 160.0 pounds per square inch single response Thread Size: 0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device Material Specification: Qq-b-626 federal specification single material response body Media For Which Designed: Water, fresh single response Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	••
Maximum Operating Pressure:  160.0 pounds per square inch single response  Thread Size:  0.500 inches all ends  Material:  Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification:  Qq-b-626 federal specification single material response body  Media For Which Designed:  Water, fresh single response  Style Designator:  Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0	
Maximum Operating Pressure:  160.0 pounds per square inch single response  Thread Size:  0.500 inches all ends  Material:  Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification:  Qq-b-626 federal specification single material response body  Media For Which Designed:  Water, fresh single response  Style Designator:  Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0	
Thread Size: 0.500 inches all ends Material: Rubber butadiene-acrylonitrile class nbr flow control device Material Specification: Qq-b-626 federal specification single material response body Media For Which Designed: Water, fresh single response Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	
Thread Size:  0.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Fiig: A530b0	-
O.500 inches all ends  Material: Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Fiig: A530b0	160.0 pounds per square inch single response
Material: Rubber butadiene-acrylonitrile class nbr flow control device Material Specification: Qq-b-626 federal specification single material response body Media For Which Designed: Water, fresh single response Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	
Rubber butadiene-acrylonitrile class nbr flow control device  Material Specification: Qq-b-626 federal specification single material response body  Media For Which Designed: Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Fiig: A530b0	0.500 inches all ends
Material Specification:  Qq-b-626 federal specification single material response body  Media For Which Designed:  Water, fresh single response  Style Designator:  Straight thru  Supplementary Features:  Flow control device: diaphragm  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0	Material:
Qq-b-626 federal specification single material response body  Media For Which Designed:  Water, fresh single response  Style Designator:  Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0	Rubber butadiene-acrylonitrile class nbr flow control device
Media For Which Designed:  Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Fiig: A530b0	Material Specification:
Water, fresh single response  Style Designator: Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Fiig: A530b0	Qq-b-626 federal specification single material response body
Style Designator: Straight thru Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	Media For Which Designed:
Straight thru  Supplementary Features: Flow control device: diaphragm  Thread Series Designator: Npt all ends  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Fiig: A530b0	Water, fresh single response
Supplementary Features: Flow control device: diaphragm Thread Series Designator: Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	Style Designator:
Flow control device: diaphragm  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0	Straight thru
Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A530b0	Supplementary Features:
Npt all ends Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	Flow control device: diaphragm
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	Thread Series Designator:
N/a Unit Of Measure: Demilitarization: No Fiig: A530b0	Npt all ends
Unit Of Measure: Demilitarization: No Fiig: A530b0	Shelf Life:
Demilitarization: No Fiig: A530b0	N/a
No <b>Fiig:</b> A530b0	Unit Of Measure:
No <b>Fiig:</b> A530b0	
<b>Fiig:</b> A530b0	Demilitarization:
A530b0	No
	Fiig:
Mil-std (military Standard):	A530b0
	Mil-std (military Standard):
Mil-p-5315 spec.	Mil-p-5315 spec.