NSN 4820-01-124-6442

Globe Valve - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/4820-01-124-6442

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
4 all ends
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
2.500 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
7.000 inches all ends
Face To Face Distance:
8.000 inches
Thickness:
0.562 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
5.500 inches all ends
Flange Face Design:
Plain all ends
Material:
Nickel alloy stem
Media For Which Designed:
Water-oil-gas 1st response
Style Designator:
Err-090
Supplementary Features:
This item has been reviewed for asbestos material; the current approved sources; 30263 have indicated their part number contained
asbestos prior to 1984; they continue to manufacture the same part number without asbestos material after 1984
Furnished Items And Quantity:
1 handwheel
Shelf Life:

NSN 4820-01-124-6442

Globe Valve - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A046b0