

View Online at <https://aerobasegroup.com/nsn/4820-01-129-4544>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Maximum Operating Temp:

150.0 degrees fahrenheit single response

End Application:

Los angeles class ss (688)

Valve Operation Method:

Automatic

Flange Shape:

Round all ends

Connection Type:

Flange all ends

Valve Size:

0.500 inches

Adjustable Pressure Range:

+35.0/+44.0 pounds per square inch

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

3.500 inches 1st end

Thickness:

0.438 inches all ends

First Connection Face To Centerline Distance:

3.250 inches

Second Connection Face To Centerline Distance:

3.250 inches

Flange Face Design:

Raised straight 1st end

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

1.375 inches all ends

Material:

Steel flow control device

Material Specification:

Astm a216, grade wcb assn standard single material response body

Media For Which Designed:

Liquid, ingested single response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0