

View Online at <https://aerobasegroup.com/nsn/4820-01-130-6607>

**Thread Class:**

2b 2nd end

**Thread Direction:**

Right-hand 2nd end

**Flow Control Device:**

Stem

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Threaded

**Maximum Operating Temp:**

165.0 degrees fahrenheit single response

**Connection Style:**

G50 external seat for gasket seal (boss) 2nd end

**Valve Operation Method:**

Manual

**Connection Type:**

Threaded external boss 2nd end

**Maximum Operating Pressure:**

6000.0 pounds per square inch single response

**Thread Size:**

0.438 inches 2nd end

**Outside Diameter Tube Accommodated:**

0.250 inches all ends

**Special Features:**

Test connection for 0.250 in. 37 degrees flared tubing male end

**Material:**

Rubber packing

**Material Specification:**

Mil-g-1149, type 2, class 5 military specification single material response packing

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Err-090

**Thread Series Designator:**

Unf 2nd end

**Furnished Items And Quantity:**

1 nut and 1 tailpiece

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0

**Mil-std (military Standard):**

Mil-g-1149 spec.