

View Online at <https://aerobasegroup.com/nsn/4820-01-131-0230>

Pipe Size Accommodated:

0.500 inches all ends

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Maximum Operating Temp:

250.0 degrees fahrenheit single response

End Application:

Los angeles class ss (688)

Connection Style:

Streamlined with one brazing ring err-100

Valve Operation Method:

Automatic

Connection Type:

Unthreaded internal pipe all ends

Adjustable Pressure Range:

+121.0/+135.0 pounds per square inch

Maximum Operating Pressure:

400.0 pounds per square inch single response

Special Features:

Pressure is to be set at 128 psi

Material:

Nickel alloy flow control device

Material Specification:

Qq-c-390, alloy d4/d/ federal specification single material response body

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Furnished Items And Quantity:

1 lever

Specification Data:

81349-mil-v-24332 government specification

Specification Or Standard:

B grade

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-v-24332 spec.