Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-131-7703

| De de Matadala                                    |
|---|
| Body Material:<br>Zinc                            |
|   |
| Body Style:                                       |
| Straight thru                                     |
| Furnished Items:                                  |
| Outlet pressure gage                              |
| Media For Which Designed:                         |
| Air   |
| First End Connection Type:                        |
| Threaded internal pipe                            |
| First End Style Designator:                       |
| Plain   |
| First End Thread Size And Series/type Designator: |
| 1/4-18 ptf-spl                                    |
| First End Thread Direction:                       |
| Right-hand  |
| Second End Relationship With First End:           |
| Identical   |
| Flow Control Device:                              |
| Diaphragm   |
| End Connection Quantity:                          |
| 2   |
| Outlet Pressure Range:                            |
| +5.0 to 50.0 pounds per square inch               |
| Regulation Type:                                  |
| 1st stage manual, 2nd stage automatic             |
| Manual Control Method:                            |
| Knob  |
| Valve Loading Method:                             |
| Spring  |
| Remote Actuation Method:                          |
| Diaphragm   |
| Maximum Inlet Pressure Rating:                    |
| 400.0 pounds per square inch                      |
| Filter:   |
| Not included                                      |
|   |
| Tempurature Rating:                               |
| 150.0 degrees fahrenheit                          |
| Special Features:                                 |
| Relieving type                                    |
| Shelf Life:                                       |
| N/a   |
|   |

Fluid Pressure Regulating Valve - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100