# NSN 4820-01-137-0188

Safety Relief Valve - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4820-01-137-0188



Flow Control Device:

Disk

**Disk Loading Method:** 

Spring

# Renewable Seat Ring Type:

Threaded

# Maximum Operating Temp:

300.0 degrees fahrenheit single response

# Valve Operation Method:

Automatic

#### Flange Shape:

Round 1st end

#### **Connection Type:**

Flange 1st end

#### **Mounting Facility:**

Bracket

# Valve Size:

1.000 inches

# Maximum Operating Pressure:

775.0 pounds per square inch single response

# Criticality Code Justification:

Zzzy

# **Opening Pressure Setting:**

576.0 pounds per square inch

# First Connection Face To Centerline Distance:

3.500 inches

# Second Connection Face To Centerline Distance:

3.250 inches

# Flange Face Design:

Raised straight 1st end

# Material:

Stainless steel

# Media For Which Designed:

Water, fresh single response

# Style Designator:

Angle flanged ends

# **Reference Number Differentiating Characteristics:**

Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications **Shelf Life:** 

N/a

#### Unit Of Measure:

---

# NSN 4820-01-137-0188

Safety Relief Valve - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A046b0

