NSN 4820-01-137-0188

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-137-0188

Flow Control Device:
Disk
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
300.0 degrees fahrenheit single response
Valve Operation Method:
Automatic
Flange Shape:
Round 1st end
Connection Type:
Flange 1st end
Mounting Facility:
Bracket
Valve Size:
1.000 inches
Maximum Operating Pressure:
775.0 pounds per square inch single response
Criticality Code Justification:
Zzzy
Opening Pressure Setting:
576.0 pounds per square inch
First Connection Face To Centerline Distance:
3.500 inches
Second Connection Face To Centerline Distance:
3.250 inches
Flange Face Design:
Raised straight 1st end
Material:
Stainless steel
Media For Which Designed:
Water, fresh single response
Style Designator:
Angle flanged ends
Reference Number Differentiating Characteristics:
Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications
Shelf Life:
N/a
Unit Of Measure:

NSN 4820-01-137-0188

Safety Relief Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A046b0