## NSN 4820-01-138-5562

Gate Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-138-5562

Flange Diameter:
6.594 inches
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
8
Valve Operation Method:
Manual
Connection Type:
Flange, round w/holes
Features Provided:
Bonnet packing
Valve Size:
3.500 inches
Maximum Operating Pressure And Media For Which Designed:
100.0 pounds per square inch water
Stem Type:
Rising
Face To Face Distance:
6.500 inches
Flange Face Design:
Plain
Inlet Relationship With Outlet:
Identical
Pressure Class:
100.0 pounds
Material:
Nickel alloy 400 stem
Material Specification:
Qq-n-281 assn standard single material response stem
Furnished Items And Quantity:
1 handwheel
Specification Data:
81349-mil-v-1189 government specification
Specification Or Standard:
I type and i class
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4820-01-138-5562

Gate Valve - Page 2 of 2



em			

Yes - demil/mli

Fiig:

A500a0

## Mil-std (military Standard):

Mil-b-16541 spec.