NSN 4820-01-139-1896

Globe Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-01-139-1896

Diaphragm
Bonnet Type:
Exposed spring
Bonnet Attachment Method:
Threaded
Renewable Seat Ring Type:
Threaded
Bolt Hole Quantity:
6 all ends
Maximum Operating Temp:
180.0 degrees fahrenheit 2nd response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Facility:
Bracket
Valve Size:
1.500 inches
Maximum Operating Pressure:
125.0 pounds per square inch single response
Outside Diameter:
5.062 inches all ends
Face To Face Distance:
8.000 inches
Thickness:
0.438 inches all ends
Bolt Hole Diameter:
0.562 inches all ends
Bolt Circle Diameter:
3.938 inches all ends
Flange Face Design:
Plain all ends
Material:
Rubber synthetic flow control device
Material Specification:
Qq-n-288 federal specification single material response stem
Media For Which Designed:
Water-oil-gas single response

NSN 4820-01-139-1896

Globe Valve - Page 2 of 2



Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0