NSN 4820-01-141-8847

Safety Relief Valve - Page 1 of 2

Flow Control Device:

Disk Loading Method:

Disk

Spring



View Online at https://aerobasegroup.com/nsn/4820-01-141-8847

Bolt Hole Quantity:
16 1st end
Maximum Operating Temp:
450.0 degrees fahrenheit single response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes 2nd end
Connection Type:
Flange 1st end
Valve Size:
10.000 inches
Adjustable Pressure Range:
+475.0/+525.0 pounds per square inch
Maximum Operating Pressure:
600.0 pounds per square inch single response
Outside Diameter:
20.000 inches 1st end
Thickness:
2.500 inches 1st end
First Connection Face To Centerline Distance:
10.500 inches
Bolt Hole Diameter:
1.000 inches 2nd end
Second Connection Face To Centerline Distance:
9.438 inches
Bolt Circle Diameter:
17.000 inches 1st end
Flange Face Design:
Plain 2nd end
Raised Face Height:
0.250 inches 1st end
Raised Face Diameter:
12.750 inches 1st end
Material:
Steel flow control device
Material Specification:
Ams 5643 assn standard single material response flow control device

NSN 4820-01-141-8847

Safety Relief Valve - Page 2 of 2



Style Designator:
Err-090
Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0