## NSN 4820-01-142-9149

Pressure And Temperature Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-142-9149

Body Material:
Steel, corrosion resisting, 304, cryolab div of cryenco
Tempurature Rating:
275.0 degrees fahrenheit
First End Connection Type:
Threaded internal tube
First End Style Designator:
Gasket seal
First End Outside Diameter Tube Accommodated:
0.500 inches
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Not identical
Second End Connection Type:
Unthreaded external tube
Second End Style Designator:
Grooved
Flow Control Device:
Flow Control Device: Any acceptable
Any acceptable
Any acceptable  End Connection Quantity:
Any acceptable  End Connection Quantity: 2
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:  Thermostatic
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:  Thermostatic  Shelf Life:
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:  Thermostatic  Shelf Life:  N/a
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:  Thermostatic  Shelf Life:  N/a
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:  Thermostatic  Shelf Life:  N/a  Unit Of Measure:
Any acceptable  End Connection Quantity:  2  Valve Discharge Flow Rate:  3.0 gallons per minute  Tempurature Adjustability:  Adjustable  Tempurature Control Device Type:  Thermostatic  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: