## NSN 4820-01-148-1736

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-148-1736 **Body Material:** Steel, astm a216, grade wcb First End Flange Outside Diameter: 4.625 inches **Body Style:** Straight thru Stem Material: Steel, corrosion resisting **Furnished Items:** External pilot valve Media For Which Designed: Steam **First End Connection Type:** Raised face flange First End Style Designator: Raised First End Raised Face Height: 0.250 inches First End Raised Face Diameter: 1.688 inches First End Flange Shape Style: Round w/ bolt holes First End Flange Thickness: 0.625 inches First End Bolt Hole Quantity: First End Bolt Hole Diameter: 0.750 inches First End Bolt Circle Diameter: 3.250 inches Second End Relationship With First End: Identical **Face To Face Distance:** 8.500 inches Flow Control Device: Disk Flow Control Device Material: Steel, corrosion resisting **End Connection Quantity:** 

**Regulation Type:** 

1st stage manual, 2nd stage automatic

## NSN 4820-01-148-1736

Fluid Pressure Regulating Valve - Page 2 of 2



Manual Control Method:
Vheel
/alve Loading Method:
Spring
Remote Actuation Method:
Diaphragm
Filter:
Not included
Fempurature Rating:
550.0 degrees fahrenheit
Special Features:
With third connection, 1/2 in., 900 lb asa b16.5 flange, with four 0.875 in. Diameter bolt holes equally spaced on a 3.250 in. Diameter bolt
sircle
Shelf Life:
√a
Jnit Of Measure:
-
Demilitarization:
No.
Filg:
A21100