NSN 4820-01-150-5406

Check Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-150-5406

Flow Control Device:
Poppet
Maximum Operating Temp:
450.0 degrees fahrenheit single response
Connection Style:
Socket (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Unthreaded internal tube all ends
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Outside Diameter Tube Accommodated:
0.125 inches all ends
Material:
Material: Steel comp 316
Steel comp 316
Steel comp 316 Material Specification:
Steel comp 316 Material Specification: Aisi 316 assn standard single material response
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator:
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life:
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life: N/a
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life: N/a
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life: N/a Unit Of Measure:
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life: N/a Unit Of Measure: Demilitarization:
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life: N/a Unit Of Measure: Demilitarization: No
Steel comp 316 Material Specification: Aisi 316 assn standard single material response Style Designator: Straight thru Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: