NSN 4820-01-151-6407

Pressure And Temperature Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-151-6407 **Body Material:** Aluminum alloy, 2024 **Body Style:** Tee give "adql" and "adqm" only when flanged all ends **Tempurature Rating:** 275.0 degrees fahrenheit Media For Which Designed: Hydrocarbon fuels and oils **First End Connection Type:** Threaded external tube First End Style Designator: Plain First End Outside Diameter Tube Accommodated: 0.750 inches First End Thread Size And Series/type Designator: 1.000-16 uni **First End Thread Class:** За First End Thread Direction: Right-hand Second End Relationship With First End: Not identical **Second End Connection Type:** Threaded external tube Second End Style Designator: Plain **Second End Outside Diameter Tube Accommodated:** 0.625 inches Second End Thread Size And Series/type Designator: 0.844-18 uns **Second End Thread Class: Second End Thread Direction:** Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end **Third End Connection Type:** Threaded external tube Third End Style Designator: Plain **Third End Outside Diameter Tube Accommodated:**

0.250 inches

NSN 4820-01-151-6407

Pressure And Temperature Relief Valve - Page 2 of 2



Third End Thread Class:
За
Third End Thread Direction:
Right-hand
Seat Material:
Steel, aisi 440c
Flow Control Device:
Poppet
Flow Control Device Material:
Steel, aisi 440c
End Connection Quantity:
3
Valve Discharge Flow Rate:
28.0 gallons per minute
Tempurature Adjustability:
Not adjustable
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
Yes - demil/mli
Fiig:
A07100