## NSN 4820-01-155-0236

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-155-0236

B. I. M
Body Material:
Steel, astm a216, grade wcb
First End Flange Outside Diameter:
6.500 inches
Body Style:
Straight thru
Media For Which Designed:
Steam
First End Connection Type:
Raised face flange
First End Style Designator:
Raised
First End Raised Face Height:
0.250 inches
First End Raised Face Diameter:
3.625 inches
First End Flange Shape Style:
Round w/ bolt holes
First End Flange Thickness:
1.000 inches
First End Bolt Hole Quantity:
8
First End Bolt Hole Diameter:
0.750 inches
First End Bolt Circle Diameter:
5.000 inches
Second End Relationship With First End:
Identical
Face To Face Distance:
11.250 inches
Flow Control Device:
Stem and integral disk
Flow Control Device Material:
Steel, corrosion resisting
End Connection Quantity:
2
Outlet Pressure Range:
+2.0/+40.0 pounds per square inch
Regulation Type:
1st stage manual, 2nd stage automatic
Manual Control Method:
mandal Control Method.

Screw

## NSN 4820-01-155-0236

Fluid Pressure Regulating Valve - Page 2 of 2



Valve Stem Design:
Single seat
Valve Loading Method:
Spring
Remote Actuation Method:
Diaphragm
Maximum Inlet Pressure Rating:
125.0 pounds per square inch
Filter:
Not included
Tempurature Rating:
500.0 degrees fahrenheit
Special Features:
With 1/2 in. Size, 600 psi asa raised face flange pilot valve connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A21100