## NSN 4820-01-158-8497

Safety Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-158-8497

Thread Direction:
Right-hand all ends
Maximum Operating Temp:
400.0 degrees fahrenheit single response
Minimum Operating Temp:
-100.0 degrees fahrenheit
End Application:
3655-01-089-9563
Connection Style:
G9 plain, optional en (pipe) 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 2nd end
Maximum Operating Pressure:
2400.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
0.250 inches all ends Opening Pressure Setting:
Opening Pressure Setting:
Opening Pressure Setting: 400.0 pounds per square inch
Opening Pressure Setting: 400.0 pounds per square inch Material:
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator:
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator: Err-090
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator: Err-090 Thread Series Designator:
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator: Err-090 Thread Series Designator: Npt all ends
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator: Err-090 Thread Series Designator: Npt all ends Shelf Life:
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator: Err-090 Thread Series Designator: Npt all ends Shelf Life: N/a
Opening Pressure Setting: 400.0 pounds per square inch Material: Copper alloy body Style Designator: Err-090 Thread Series Designator: Npt all ends Shelf Life: N/a
Opening Pressure Setting:  400.0 pounds per square inch  Material:  Copper alloy body  Style Designator:  Err-090  Thread Series Designator:  Npt all ends  Shelf Life:  N/a  Unit Of Measure:

A046b0