## NSN 4820-01-166-5347

Check Valve - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/4820-01-166-5347

3b 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Disk Loading Method:
Spring
Maximum Operating Temp:
525.0 degrees fahrenheit single response
Connection Style:
Gasket seal (boss) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal boss 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
12 2nd end
Maximum Operating Pressure:
70.0 pounds per square inch single response
Thread Size:
1.312 inches 2nd end
Seat Angle:
37.0 degrees 2nd end
Material:
Steel comp 630 body
Media For Which Designed:
Nitrogen, gaseous single response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-s-5002 military specification single treatment response
Style Designator:
Straight thru
Thread Series Designator:
Unj 2nd end
Shelf Life:
N/a
Unit Of Measure:

## NSN 4820-01-166-5347

Check Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A530b0

Mil-std (military Standard):

Mil-s-5002 spec.