NSN 4820-01-166-5347

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-166-5347

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Disk

Disk Loading Method:

Spring

Maximum Operating Temp:

525.0 degrees fahrenheit single response

Connection Style:

Gasket seal (boss) 1st end

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss 1st end

Mounting Position:

Horizontal or vertical

Thready Qty Per Inch (tpi):

12 2nd end

Maximum Operating Pressure:

70.0 pounds per square inch single response

Thread Size:

1.312 inches 2nd end

Seat Angle:

37.0 degrees 2nd end

Material:

Steel comp 630 body

Media For Which Designed:

Nitrogen, gaseous single response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Style Designator:

Straight thru

Thread Series Designator:

Unj 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

NSN 4820-01-166-5347

Check Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A530b0

Mil-std (military Standard):

Mil-s-5002 spec.