NSN 4820-01-168-5672

Check Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-168-5672

| Flow Control Device: |
|--|
| Disk |
| Disk Loading Method: |
| Weight |
| Bolt Hole Quantity: |
| 8 1st end |
| Valve Operation Method: |
| Automatic |
| Flange Shape: |
| Round with holes 1st end |
| Connection Type: |
| Flange 1st end |
| Valve Size: |
| 5.000 inches |
| Criticality Code Justification: |
| Zzzy |
| Outside Diameter: |
| 10.000 inches 1st end |
| Face To Face Distance: |
| 13.000 inches |
| Thickness: |
| 0.750 inches 1st end |
| Bolt Hole Diameter: |
| 0.625 inches 1st end |
| Bolt Circle Diameter: |
| 8.500 inches 1st end |
| Flange Face Design: |
| Plain 1st end |
| Material: |
| Copper alloy body |
| Style Designator: |
| Straight through flanged ends |
| Reference Number Differentiating Characteristics: |
| Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A530b0 |