

View Online at <https://aerobasegroup.com/nsn/4820-01-171-4260>

**Flow Control Device:**

Disk

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Bolt Hole Quantity:**

4 all ends

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Features Provided:**

Bonnet packing

**Valve Size:**

3.000 inches

**Outside Diameter:**

7.500 inches all ends

**Thickness:**

0.938 inches all ends

**First Connection Face To Centerline Distance:**

4.750 inches

**Bolt Hole Diameter:**

0.750 inches all ends

**Second Connection Face To Centerline Distance:**

4.750 inches

**Bolt Circle Diameter:**

6.000 inches all ends

**Flange Face Design:**

Raised straight all ends

**Raised Face Height:**

0.062 inches all ends

**Raised Face Diameter:**

5.000 inches all ends

**Special Features:**

Stop check internally

**Material:**

Steel uns j92800 body

**Material Specification:**

Mil p 17303 military specification single material response packing

**Style Designator:**

Err-090

**Supplementary Features:**

Uthis item has been reviewed for asbestos material; the current sources, 79342 have indicated their part number contained asbestos prior to 1984, they continue to manufacture the same part number without asbestos material after 1984

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0

**Mil-std (military Standard):**

spec.