NSN 4820-01-173-4590

Globe Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-173-4590

Pipe Size Accommodated:
3.000 inches all ends
Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Threaded
Connection Style:
Err-090 all ends
Valve Operation Method:
Manual
Connection Type:
Butt weld pipe all ends
Features Provided:
Bonnet packing
Maximum Operating Pressure:
150.0 pounds per square inch single response
Special Features:
Stop check type
Material:
Material: Steel uns j92800 body
Steel uns j92800 body
Steel uns j92800 body Material Specification:
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator:
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator: Err-090
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator: Err-090 Shelf Life:
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator: Err-090 Shelf Life: N/a
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator: Err-090 Shelf Life: N/a
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator: Err-090 Shelf Life: N/a Unit Of Measure:
Steel uns j92800 body Material Specification: Astm a217 grade ca15 assn standard single material response stem Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: