NSN 4820-01-187-6464

Gate Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-187-6464

Pipe Size Accommodated:
0.500 inches
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Valve Operation Method:
Manual
Connection Type:
Socket, weld, pipe
Features Provided:
Bonnet packing
Valve Size:
0.500 inches
Maximum Operating Pressure And Media For Which Designed:
800.0 pounds per square inch water-oil-gas
Stem Type:
Rising
Maximum Operating Tempurature And Media For Which Designed:
850.0 degrees fahrenheit water-oil-gas
Inlet Relationship With Outlet:
Identical
Pressure Class:
800.0 pounds
Special Features:
Conventional port opening
Material:
Steel uns k03504 body
Steel uns k03504 body Material Specification:
·
Material Specification:
Material Specification: Astm a104 grade it assn standard single material response body
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity:
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity: 1 handwheel
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity: 1 handwheel Shelf Life:
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity: 1 handwheel Shelf Life: N/a
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity: 1 handwheel Shelf Life: N/a
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity: 1 handwheel Shelf Life: N/a Unit Of Measure:
Material Specification: Astm a104 grade it assn standard single material response body Furnished Items And Quantity: 1 handwheel Shelf Life: N/a Unit Of Measure: Demilitarization: