NSN 4820-01-193-8026

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-193-8026 **Body Material:** Bronze **Body Style:** Straight thru Media For Which Designed: Air or water, fresh **First End Connection Type:** Threaded internal pipe First End Style Designator: Plain First End Thread Size And Series/type Designator: 1-11 1/2 npt **First End Thread Direction:** Right-hand Second End Relationship With First End: Identical **Seat Material:** Rubber, buna-n **Center To Center Distance:** Between 5.000 inches and 7.000 inches **Flow Control Device:** Diaphragm Flow Control Device Material: Rubber, buna-n **End Connection Quantity:** 2 Renewable Seat Ring Type: Pressed-in **Mounting Facility: Bolts Outlet Pressure Range:** +10.0/+40.0 pounds per square inch **Regulation Type:** Automatic single stage Valve Stem Design: Single seat Valve Loading Method: Spring **Remote Actuation Method:** Diaphragm **Maximum Inlet Pressure Rating:**

Bolts
Outlet Pressure Range:
+10.0/+40.0 pounds per square inch
Regulation Type:
Automatic single stage
Valve Stem Design:
Single seat
Valve Loading Method:
Spring
Remote Actuation Method:
Diaphragm
Maximum Inlet Pressure Rating:
400.0 pounds per square inch

NSN 4820-01-193-8026

Fluid Pressure Regulating Valve - Page 2 of 2



Outlet Pressure Setting

30.0 pounds per square inch

Filter:

Included

Tempurature Rating:

200.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100