NSN 4820-01-198-4203

Pressure And Temperature Relief Valve - Page 1 of 2



820-01-198-4203

| View Online at https://aerobasegroup.com/nsn/48 | 3 |
|---|---|
| Body Material: | |
| Steel, federal standard 66, aisi 316/sae 30316 | |
| Body Style: | |
| Straight thru | |
| Stem Material: | |
| Steel, federal standard 66, aisi 316/sae 30316 | |
| Tempurature Rating: | |
| 125.0 degrees fahrenheit | |
| Media For Which Designed: | |
| Hydraulic fluid, silicate-ester base | |
| First End Connection Type: | |
| Threaded internal boss | |
| First End Style Designator: | |
| Swivel nut, gasket seal | |
| First End Thread Class: | |
| 3b | |
| First End Thread Direction: | |
| Right-hand | |
| Second End Relationship With First End: | |
| Not identical | |
| Second End Connection Type: | |
| Threaded external boss | |
| Second End Style Designator: | |
| Flared | |
| Second End Thread Class: | |
| 3a | |
| Second End Thread Direction: | |
| Right-hand | |
| Seat Material: | |
| Steel, federal standard 66, aisi 316/sae 30316 | |
| Face To Face Distance: | |
| 2.890 inches | |
| Flow Control Device: | |
| Disk, flat | |
| End Connection Quantity: | |
| 2 | |
| Opening Pressure Setting: | |
| 80.0 pounds per square inch | |
| Valve Discharge Flow Rate: | |

10.0 gallons per minute

Tempurature Adjustability:

Not adjustable

NSN 4820-01-198-4203

Pressure And Temperature Relief Valve - Page 2 of 2



| Tempurature Control Device Type: |
|--------------------------------------|
| Thermostatic |
| First End Thread Series Designator: |
| Unjf |
| First End Thread Size: |
| 0.750 inches |
| Second End Thread Size: |
| 0.750 inches |
| Second End Thread Series Designator: |
| Unj |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiia: |

A07100