## NSN 4820-01-198-5178

Calibrated Flow Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-198-5178

Body Material:
Brass
Body Style:
Straight thru
Media For Which Designed:
Steam and water
First End Connection Type:
Threaded internal pipe
First End Style Designator:
Plain
First End Thread Size And Series/type Designator:
1/4-18 npt
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Identical
Seat Material:
Plastic
Flow Control Device:
Needle
Flow Control Device Material:
Brass or bronze or steel, corrosion resisting
End Connection Quantity:
2
Valve Discharge Flow Rate:
261.8 gallons per minute
Renewable Seat Ring Type:
Any acceptable
Regulation Type:
Manual single stage
Manual Control Method:
Knob
Maximum Inlet Pressure Rating:
50.0 pounds per square inch
Cubic Measure:
0.01 cubic feet
Tempurature Rating:
Between -65.0 degrees fahrenheit and 300.0 degrees fahrenheit
Shelf Life:
N/a
Unit Of Measure:

---

## NSN 4820-01-198-5178

Calibrated Flow Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A21100

