

View Online at <https://aerobasegroup.com/nsn/4820-01-198-6263>

Thread Class:

3b 1st end

Thread Direction:

Right-hand all ends

Flow Control Device:

Piston

Valve Discharge Flow Rate:

2.0 gallons per minute

Maximum Operating Temp:

180.0 degrees fahrenheit single response

Connection Style:

G4 gasket sea (boss) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss all ends

Mounting Facility:

Bracket

Thready Qty Per Inch (tpi):

3b all ends

Maximum Operating Pressure:

150.0 pounds per square inch single response

Thread Size:

0.375 inches all ends

Material:

Steel comp 303 flow control device or steel comp 303se flow control device and steel comp 303 plus x flow control device

Material Specification:

Qq-a-225/9 alloy 7075 t73 federal specification single material response body

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 type 2, cl1 military specification single treatment response

Style Designator:

Err-090

Thread Series Designator:

Unjf all ends

Specification Data:

36659-672030 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.