NSN 4820-01-200-3116

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-200-3116

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Pressure seal, ring type
Bolt Hole Quantity:
8 all ends
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Vertical
Valve Size:
2.500 inches
Maximum Operating Pressure:
600.0 pounds per square inch single response
Outside Diameter:
7.500 inches all ends
Face To Face Distance:
8.500 inches
Thickness:
1.125 inches all ends
Bolt Hole Diameter:
0.875 inches all ends
Bolt Circle Diameter:
5.875 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.250 inches all ends
Raised Face Diameter:
4.125 inches all ends
Special Features:
Non-rotating stem reduces friction on all moving parts; top and bottom guided disc assures stem operation without side thrust
Material:
Steel body
Style Designator:
Straight through flanged ends

NSN 4820-01-200-3116

Stop-check Valve - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0