Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-200-4413

E	Body Material:
E	Brass or bronze
E	Body Style:
A	Ingle
S	Stem Material:
E	Brass or bronze
N	ledia For Which Designed:
S	Steam
F	First End Connection Type:
Т	Threaded internal pipe
F	irst End Style Designator:
F	Plain
F	irst End Thread Size And Series/type Designator:
3	1/8-18 npt
F	irst End Thread Direction:
F	Right-hand
S	Second End Relationship With First End:
le	dentical
S	Seat Material:
E	Brass or bronze
F	Flow Control Device:
C	Disk, top guided
E	End Connection Quantity:
2	
C	Dutlet Pressure Range:
+	-3.0 to 35.0 pounds per square inch
F	Regulation Type:
A	Automatic single stage
۷	/alve Stem Design:
S	Single seat
۷	/alve Loading Method:
S	Spring
F	Remote Actuation Method:
E	Bellows
Ν	laximum Inlet Pressure Rating:
8	0.0 pounds per square inch
C	Dutlet Pressure Accuracy Rating:
2	2.000 pounds per square inch
F	filter:
Ν	lot included
C	Cubic Measure:
0	0.123 cubic feet

Fluid Pressure Regulating Valve - Page 2 of 2



## **Special Features:**

External outlet pressure adjusting screw; 4.375 in. Dia. X 4.250 in. High, metal housing cover; dimension 7.500 in. High; 4.375 in. Long; 6.250 in. Wide

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A21100