## NSN 4820-01-202-5588

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-202-5588

**Thread Direction:** Right-hand 1st end Flow Control Device: Disk **Bonnet Type:** Inside screw **Bonnet Attachment Method:** Threaded **Bolt Hole Quantity:** 8 all ends **Maximum Operating Temp:** 406.0 degrees fahrenheit single response **Valve Operation Method:** Automatic Flange Shape: Round with holes all ends **Connection Type:** Flange all ends Valve Size: 4.000 inches **Maximum Operating Pressure:** 250.0 pounds per square inch single response **Thread Size:** 4.000 inches 1st end **Opening Pressure Setting:** 72.0 pounds per square inch **Outside Diameter:** 9.000 inches 2nd end Thickness: 1.062 inches 1st end **First Connection Face To Centerline Distance:** 6.812 inches **Bolt Hole Diameter:** 0.875 inches 1st end **Second Connection Face To Centerline Distance:** 6.438 inches **Bolt Circle Diameter:** 7.500 inches 2nd end Flange Face Design: Plain 2nd end Material:

Bronze body

## NSN 4820-01-202-5588

Safety Relief Valve - Page 2 of 2



No Fiig: A046b0