NSN 4820-01-202-9452

Check Valve - Page 1 of 2

Flow Control Device:

Disk Loading Method:

Disk



View Online at https://aerobasegroup.com/nsn/4820-01-202-9452

Weight
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
500.0 degrees fahrenheit single response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Valve Size:
2.500 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
7.000 inches all ends
Face To Face Distance:
Face To Face Distance: 8.500 inches
8.500 inches
8.500 inches Thickness:
8.500 inches Thickness: 0.688 inches all ends
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter:
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter:
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design:
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends Raised Face Height:
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.062 inches all ends
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.062 inches all ends Raised Face Diameter:
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.062 inches all ends Raised Face Diameter: 4.125 inches all ends
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.062 inches all ends Raised Face Diameter: 4.125 inches all ends Special Features:
8.500 inches Thickness: 0.688 inches all ends Bolt Hole Diameter: 0.750 inches all ends Bolt Circle Diameter: 5.500 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.062 inches all ends Raised Face Diameter: 4.125 inches all ends Special Features: Swing check

Astm a-351, grade cf8m assn standard single material response flow control device

NSN 4820-01-202-9452

Check Valve - Page 2 of 2



٨	le	di	ia	F	n	r	۷	۷	h	١i	c	h	D	e	2	i	al	n	e	d	Ġ
		ч.	•		•		•	•		•	J	••	_			ш,	ч		•	v	

Steam single response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0