## NSN 4820-01-205-5209

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-205-5209 **Body Material:** Bronze, astm b61 First End Flange Outside Diameter: 5.000 inches **Body Style:** Straight thru Stem Material: Aluminum bronze Media For Which Designed: Water **First End Connection Type:** Plain face flange First End Style Designator: Plain First End Flange Shape Style: Round w/ bolt holes First End Flange Thickness: 0.438 inches First End Bolt Hole Quantity: First End Bolt Hole Diameter: 0.625 inches First End Bolt Circle Diameter: 3.875 inches Second End Relationship With First End: Identical **Seat Material:** Aluminum bronze **Packing Material:** Rubber, buna-n **Flow Control Device:** Disk, top guided Flow Control Device Material: Aluminum bronze **End Connection Quantity: Outlet Pressure Range:** +70.0 to 150.0 pounds per square inch Regulation Type: Automatic single stage

Flow Control Device Material:
Aluminum bronze
End Connection Quantity:
2
Outlet Pressure Range:
+70.0 to 150.0 pounds per square inch
Regulation Type:
Automatic single stage
Valve Stem Design:
Single seat

## NSN 4820-01-205-5209

Fluid Pressure Regulating Valve - Page 2 of 2



Valve Loading Method:
Spring
Remote Actuation Method:
Bellows
Maximum Inlet Pressure Rating:
150.0 pounds per square inch
Outlet Pressure Accuracy Rating:
0.500 pounds per square inch
Filter:
Not included
Tempurature Rating:
77.0 degrees fahrenheit
Shelf Life:
N/a
Unit Of Measure:
<b></b>
Demilitarization:
No
Fiig:
A21100