# NSN 4820-01-215-9992

Safety Relief Valve - Page 1 of 1





View Online at https://aerobasegroup.com/nsn/4820-01-215-9992

Pipe Size Accommodated:

0.500 inches all ends

### **Flow Control Device:**

Disk

# Bonnet Type:

Inside screw

# **Bonnet Attachment Method:**

Bolted

# **Disk Loading Method:**

Spring

# Maximum Operating Temp:

425.0 degrees fahrenheit single response

#### **Connection Style:**

Socket with brazing ring err-100

# Valve Operation Method:

Automatic

**Connection Type:** 

Unthreaded internal pipe all ends

# Maximum Operating Pressure:

400.0 pounds per square inch single response

### Material:

Steel stem

#### Material Specification:

Qq-n-288 federal specification single material response seat

#### Media For Which Designed:

Gas, inert 2nd response

#### Style Designator:

Err-090

#### Supplementary Features:

This item has been reviewed for asbestos material. The current approved source, 34889, has indicated their part number contained asbestos prior to 1984. They continue to manufacture the same part number without asbestos material after 1984

#### Furnished Items And Quantity:

2 nut and 2 tailpiece

#### Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A046b0