## NSN 4820-01-216-4531

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-216-4531 Flow Control Device: Disk **Disk Loading Method:** Spring **Bolt Hole Quantity:** 4 all ends **Maximum Operating Temp:** 500.0 degrees fahrenheit single response **End Application:** Los angeles class ss (688) **Valve Operation Method:** Automatic Flange Shape: Round with holes all ends **Connection Type:** Flange all ends Valve Size: 3.000 inches **Adjustable Pressure Range:** +77.0/+88.0 pounds per square inch **Maximum Operating Pressure:** 150.0 pounds per square inch single response **Outside Diameter:** 7.500 inches all ends Thickness: 0.938 inches all ends **First Connection Face To Centerline Distance:** 6.000 inches **Bolt Hole Diameter:** 0.750 inches all ends **Second Connection Face To Centerline Distance: 6.375** inches **Bolt Circle Diameter:** 6.000 inches all ends Flange Face Design: Raised straight all ends Raised Face Height: 0.062 inches all ends **Raised Face Diameter:** 5.000 inches all ends Material:

Steel

## NSN 4820-01-216-4531

Safety Relief Valve - Page 2 of 2



:

Err-090

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0