Pressure And Temperature Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-01-216-8837

Body Material: Steel, astm a351, grade cf8m **Body Style:** Angle give "adqm" and "adqn" only if flanged one or two ends **Tempurature Rating:** 180.0 degrees fahrenheit Media For Which Designed: Any acceptable First End Connection Type: Raised face flange Seat Material: Steel, astm a351, grade cf8 **First Connection Face To Centerline Distance:** Between 5.407 inches and 5.593 inches **Second Connection Face To Centerline Distance:** Between 5.407 inches and 5.593 inches **Flow Control Device:** Disk, plug type Flow Control Device Material: Steel, astm a351, grade cf8 **End Connection Quantity:** 2 **Opening Pressure Setting:** 830.0 pounds per square inch Valve Discharge Flow Rate: 10.0 gallons per minute **Tempurature Adjustability:** Not adjustable **Tempurature Control Device Type:** Thermostatic **Criticality Code Justification:** Zzzy **Reference Number Differentiating Characteristics:** Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications Shelf Life: N/a Unit Of Measure: **Demilitarization:** Yes - demil/mli Fiig: A07100