NSN 4820-01-217-9815

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-217-9815

Offset Distance: 6.750 inches Flow Control Device: Disk Bonnet Type: Inside screw Bonnet Attachment Method: Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Flow Control Device: Disk Bonnet Type: Inside screw Bonnet Attachment Method: Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Disk Bonnet Type: Inside screw Bonnet Attachment Method: Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Bonnet Type: Inside screw Bonnet Attachment Method: Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Inside screw Bonnet Attachment Method: Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Bonnet Attachment Method: Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Bolted Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Bolt Hole Quantity: 4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
4 3rd end Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Valve Operation Method: Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Manual Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Flange Shape: Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Round with holes 3rd end Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Connection Type: Flange all ends Outside Diameter: 7.000 inches 2nd end
Flange all ends Outside Diameter: 7.000 inches 2nd end
Outside Diameter: 7.000 inches 2nd end
7.000 inches 2nd end
Thickness:
0.938 inches 2nd end
Bolt Hole Diameter:
0.750 inches 3rd end
Bolt Circle Diameter:
5.500 inches 2nd end
Flange Face Design:
Raised straight 3rd end
Raised Face Height:
0.062 inches
Raised Face Diameter:
4.125 inches
Material:
Steel seat
Material Specification:
Mil-s-15083, cl b military specification all material responses body
Media For Which Designed:
Steam single response
Style Designator:
Cross w/offset
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4820-01-217-9815

Globe Valve - Page 2 of 2



Demi			

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-s-15083 spec.