

View Online at <https://aerobasegroup.com/nsn/4820-01-218-4611>

**Thread Class:**

3a all ends

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Poppet

**Disk Loading Method:**

Spring

**Maximum Operating Temp:**

280.0 degrees fahrenheit single response

**Minimum Operating Temp:**

-40.0 degrees fahrenheit

**Connection Style:**

G42 flared (tube) all ends

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded external tube all ends

**Thready Qty Per Inch (tpi):**

20 all ends

**Adjustable Pressure Range:**

+0.5/+2.5 pounds per square inch

**Maximum Operating Pressure:**

200.0 pounds per square inch single response

**Thread Size:**

0.438 inches all ends

**Seat Angle:**

37.0 degrees all ends

**Material:**

Rubber synthetic packing

**Material Specification:**

Mil-p-25732 military specification single material response packing

**Media For Which Designed:**

Hydrogen 4th response

**Style Designator:**

Err-090

**Thread Series Designator:**

Unjf all ends

**Furnished Items And Quantity:**

1 deflector cap

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0

**Mil-std (military Standard):**

Mil-p-25732 spec.