NSN 4820-01-220-5575

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-220-5575

Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
8 all ends
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
4.000 inches
Opening Pressure Setting:
300.0 pounds per square inch
Outside Diameter:
9.000 inches 2nd end
Thickness:
0.812 inches 1st end
First Connection Face To Centerline Distance:
6.250 inches
Bolt Hole Diameter:
0.875 inches 1st end
Second Connection Face To Centerline Distance:
6.250 inches
Bolt Circle Diameter:
9.500 inches 1st end
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
8.500 inches 1st end
Material:
Steel comp 303 stem
Style Designator:
C1a angle flanged ends
Shelf Life:
N/a

NSN 4820-01-220-5575

Safety Relief Valve - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A046b0