

View Online at <https://aerobasegroup.com/nsn/4820-01-223-8649>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Union

Disk Loading Method:

Spring

Bolt Hole Quantity:

8 1st end

Maximum Operating Temp:

750.0 degrees fahrenheit single response

Valve Operation Method:

Automatic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

4.000 inches

Adjustable Pressure Range:

+8.0 to 11.0 pounds per square inch

Maximum Operating Pressure:

95.0 pounds per square inch single response

Outside Diameter:

9.000 inches 1st end

Thickness:

0.938 inches 1st end

First Connection Face To Centerline Distance:

6.375 inches

Bolt Hole Diameter:

0.625 inches all ends

Second Connection Face To Centerline Distance:

6.125 inches

Bolt Circle Diameter:

7.500 inches 1st end

Flange Face Design:

Raised straight all ends

Raised Face Height:

1.188 inches 2nd end

Raised Face Diameter:

6.188 inches 1st end

Material:

Stainless steel stem

Media For Which Designed:

Air 1st response

Style Designator:

C1a angle flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0