NSN 4820-01-237-1722

Ball Valve - Page 1 of 2

Bonnet Type: Inside screw

Err-090



View Online at https://aerobasegroup.com/nsn/4820-01-237-1722

Danuat Attachment Mathed
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
8 all ends
Maximum Operating Temp:
200.0 degrees fahrenheit single response
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
4.000 inches
Maximum Operating Pressure:
275.0 pounds per square inch single response
Outside Diameter:
9.000 inches all ends
Face To Face Distance:
9.000 inches
Thickness:
0.937 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
7.500 inches all ends
Third Connection Face To Centerline Distance:
6.500 inches
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
6.187 inches all ends
Material:
Stainless steel flow control device
Media For Which Designed:
Steam single response
Style Designator:

NSN 4820-01-237-1722

Ball Valve - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0