

View Online at <https://aerobasegroup.com/nsn/4820-01-237-2804>

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

6 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Connection Style:

Socket (tube) err-100

Valve Operation Method:

Automatic

Flange Shape:

Round with holes 1st end

Connection Type:

Unthreaded internal tube 2nd end

Adjustable Pressure Range:

+48.0/+59.0 pounds per square inch

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

2.375 inches 1st end

Thickness:

0.438 inches 1st end

Bolt Hole Diameter:

0.562 inches 1st end

Bolt Circle Diameter:

4.438 inches 1st end

Flange Face Design:

Plain 1st end

Outside Diameter Tube Accommodated:

2.000 inches 2nd end

Material:

Stainless steel stem

Material Specification:

Qq-n-281 federal specification single material response stem

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Furnished Items And Quantity:

1 lever

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0