

View Online at <https://aerobasegroup.com/nsn/4820-01-252-4396>

**Body Material:**

Steel, corrosion resisting, qq-s-763, class 302, 303, 304, 305, 310, or 316

**Outside Surface Treatment:**

Passivated

**Body Style:**

Straight thru

**Furnished Items:**

Nut

**First End Connection Type:**

Threaded internal pipe

**First End Style Designator:**

Plain

**First End Thread Size And Series/type Designator:**

1/4-18 npt

**First End Thread Direction:**

Right-hand

**Second End Relationship With First End:**

Identical

**Seat Material:**

Plastic, polychlorotrifluoroethylene

**Packing Material:**

Rubber

**Flow Control Device:**

Disk

**End Connection Quantity:**

2

**Mounting Facility:**

Panel

**Regulation Type:**

Manual single stage

**Manual Control Method:**

Knob

**Valve Loading Method:**

Weight

**Maximum Inlet Pressure Rating:**

6000.0 pounds per square inch

**Filter:**

Not included

**Tempurature Rating:**

Between -10.0 degrees celsius and 55.0 degrees celsius

**Special Features:**

Used on p/n 8431350; aim-9 msl; storage temp range celsius minus 62.0; pos c 85.0; prf pressure 9000 psig minburst pressure 24000 psig min; valve handle black; dim o/a lg 4.087 ino/a w 2.250 in; o/a ht 2.375 in dia

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A21100