

View Online at <https://aerobasegroup.com/nsn/4820-01-258-7208>

**Flow Control Device:**

Disk

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Bolt Hole Quantity:**

8 all ends

**Maximum Operating Temp:**

366.6 degrees fahrenheit single response

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Valve Size:**

5.000 inches

**Maximum Operating Pressure:**

150.0 pounds per square inch single response

**Outside Diameter:**

10.000 inches all ends

**Thickness:**

0.750 inches all ends

**First Connection Face To Centerline Distance:**

6.250 inches

**Bolt Hole Diameter:**

0.875 inches all ends

**Second Connection Face To Centerline Distance:**

6.250 inches

**Bolt Circle Diameter:**

8.500 inches all ends

**Flange Face Design:**

Plain all ends

**Special Features:**

Stop check

**Media For Which Designed:**

Water-oil-gas 2nd response

**Style Designator:**

Err-090

**Supplementary Features:**

This item has been reviewed for asbestos material. The current approved source, 30263, has indicated their part number contained asbestos prior to 1984. They continue to manufacture the same part number without asbestos material after 1984

**Furnished Items And Quantity:**

1 handwheel

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0